

A. G. Davis "Roll Chek"

Fast, accurate checking
of roll dimensions

Excellent For:

- Gage Manufacturers
- Receiving/Inspection
- Quality Control
- Tool Room



Request
Free Catalog



A.G. Davis-AA Gage

Tel: 586-977-9000 Fax: 586-977-9190

Website: www.agdavis.com E-mail: agdavis@agdavis.com

“CON-AX”

Precision Thread Locator

CHECKS:

- True axial position of an internal screw thread.
- Concentricity of related diameters to the axis of an internal screw thread.
- Squareness of surfaces to the axis of an internal screw thread.

I.D. and O.D. Models



Request
Free Catalog



A.G. Davis-AA Gage

Tel: 586-977-9000 Fax: 586-977-9190

Website: www.agdavis.com E-mail: agdavis@agdavis.com

HYDRA-GRIP™ Arbors and Chucks For Excellence in Workholding!

Equalized hydraulic pressure compensates for "in-tolerance" piece part variations, such as size, taper, "bell-mouth", or "out-of-round".

- Grinding • Balancing • Drilling
- Reaming • Hobbing • Shaving
- Honing • Facing • Turning
- Boring

Accuracies to
.000020 T.I.R.



Request
Free Catalog



A.G.Davis-AA Gage

Tel: 586-977-9000 Fax: 586-977-9190

Website: www.agdavis.com E-mail: agdavis@agdavis.com

Precision Groove Gage

Checks the Whole Groove

- Perfect for: Snap Rings, "O" Rings, Recessed Diameters and Threads
- Checks standard sizes from 0.500" to 4.875". (Specials to 12"+)
- Self-centralizing
- Custom ground for any groove or bore size.



Interchangeable gage heads
with "groove matched" blades

Request
Free Catalog



A.G.Davis-AA Gage

Tel: 586-977-9000 Fax: 586-977-9190

Website: www.agdavis.com E-mail: agdavis@agdavis.com

Precision Rotary Tables

- Inspection
- Radial Milling
- Calibration
- Calibration Services
- Index Position
- Contouring
- Circle Division
- 4th - 5th - Axis Machining

Manual and Automatic Systems



Featuring world-class ULTRARON® and ULTRADEX® Precision Rotary Tables

Request
Free Brochure



A.G.Davis-AA Gage

Tel: 586-977-9000 Fax: 586-977-9190

Website: www.agdavis.com E-mail: agdavis@agdavis.com

Versatile Shallow Bore Gages

Variable-Size A.G. Davis Omni Gages™

For Gaging: I.D., O.D., Length
Concentricity, Spacing
Center Distances and Taper



Many Sizes and Models
Gages .0000" to 84.0000"
Accuracies to .000050"



Request
Free Catalog



A.G. Davis-AA Gage

Tel: (586) 977-9000 • Fax: (586) 977-9190

Website: www.agdavis.com • E-mail: agdavis@agdavis.com